

POOL LIGHTING WITH REMOTE CONTROL



TECHNICAL SPECIFICATION

LED GARDEN

Technical data:

- Rated voltage: 12VAC
- Power of the light source: 3W, 6W, 12W, 18W
- Light source: SMD 2835
- Colour temperature: RGB
- Body: Stainless steel
- Body Colour: Grey
- Colour rendering index: Ra≥80
- Switch on/off: > 20 000
- Long life: 30 000h
- Dust and humidity protection level: IP68
- Remote control: 24 key remote controller

Features:

- Low power consumption
- Repeated switch on/off does not affect the lifespan of the fixture
- Environmentally friendly - no mercury and lead
- No ultraviolet and infrared rays
- Resistant to shock and vibration stable body
- Low heat emission
- Compact size

Area of application:

- Parks
- Gardens, Pools
- Fountains, Lawns, Entrance, Patio or Terrace and similar environments.

TECHNICAL SPECIFICATION


LED GARDEN

ELMARK®

The Brand of Electricity

Basic data:

Model	Watt	Rated voltage (V)	Colour temp.	Colour body	Beam angle:	Length (mm)	Height (mm)
98LED003RGB	3W	12AC	RGB	gray	45°	80	150
98LED006RGB	6W	12AC	RGB	gray	45°	120	155
98LED012RGB	12W	12AC	RGB	gray	45°	145	140
98LED018RGB	18W	12AC	RGB	gray	45°	190	210



CE RoHS COMPLIANT